

INFORMATION DISCLOSURE

STATEMENT

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No. 27866/37524 Serial No. 09/891,943

Group

Applicant

Gallatin et al

Filing Date June 26, 2001

1644

Page 1 of 7

| | | | U.S. PAT | ENT DOCUMENTS | | | |
|-----------------------|----|--------------------|------------|-----------------|-------|----------|----------------------------|
| *Examiner Initials | | Document Number | Issue Date | Name | Class | Subclass | Filing Date If Appropriate |
| NG | A1 | 4,271,139 | | Hart | | | |
| N | A2 | 4,568,649 | | Bertoglio-Matte | | | |

| FOREIGN PATENT DOCUMENTS | | | | | | | |
|--------------------------|--------------------|---------------------|---------|-------|----------|--------|-------|
| *Examiner Initials | Document Number | Publication Date | Country | Class | Subclass | Transl | ation |
| | | | | | | Yes | No |
| | | | | | | | |

| | · | | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.) |
|-------|-----|----|--|
| M | | C1 | Adams, et al., "Experimental graft arteriosclerosis: 1. The Lewis-To-F-344 Allograft Model," Transplantation, 53:1115-1119 (1992) |
| | | C2 | Adams, et al., "Experimental graft arteriosclerosis: II. Immunocytochemical analysis of lesion development," <i>Transplantation</i> , 56:794-799 (1993) |
| | | C3 | Anderson, et al., "Exact definition of species-specific and cross-reactive epitopes of the 65-kilodalton protein of mycobacterium leprae using synthetic peptides," J. Immunol. 141:607-613 (1988) |
| | | C4 | Arfors, et al., "A monoclonal antibody to the membrane glycoprotein complex CD18 inhibits polymorphonuclear leukocyte accumulation and plasma leakage in vivo," Blood 69:338-340 (1987) |
| | 77 | C5 | Arnaout, "Structure and function of the leukocyte adhesion molecules CD11/CD18," <i>Blood</i> 75:1037-1050 (1990) |
| MAY | EC | C6 | Bainton, et al., "Leukocyte Adhesion Receptors are Stored in Peroxidase-Negative Granules of Human Neutrophils," J.Exp. Med. 166:1641 (1941) |
| Y 1 5 | ΈIV | C7 | Berman, et al., "Biosynthesis and function of membrane bound and secreted forms of recombinant CD11b/CD18 (Mac-1)," J. Cell, Biochem 52:183-195 (1993) |
| 2002 | VED | C8 | Blight, A.R., "Delayed Demyelination and Macrophage Invasion: A Candidate for Secondary Cell Damage in Spinal Cord Injury," <i>Central Nervous System Trauma</i> , 2:299-315 (1985) |
| P | V | C9 | Blight, A.R., "Effects of Silica on the Outcome from Experimental Spinal Cord Injury: Implication of Macrophages in Secondary Tissue Damage," <i>Neurosci</i> , 60 :263-273 (1994) |

EXAMINER

PHILLIP GAMBEL 2/10/03

DATE CONSIDERED

Form PTO-1449 (Modifie

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No. 27866/37524

June 26, 2001

Serial No. 09/891,943

Applicant

Gallatin et al Filing Date

Group

1644

DISCLOSURE

| | | C10 | Dockman at al. "Elaw outomatric methods for the analysis of human becarbit |
|------|-------------|-----|--|
| 10 | > | C10 | Bochner, et al., "Flow cytometric methods for the analysis of human basophil surface and viability," J. Immunol. Meth. 125:265-271 (1989) |
| | | C11 | Boucher, et al.,, "IL-3 Augments Adhesiveness for Endothelium and CD11b Expression in Human Basophils but not Neutrophils," J.Immunol.Meth 145:1832-1837 (1990) |
| | | C12 | Burnett, et al., "The IgA heavy-chain gene family in rabbit: cloning and sequence analysis of 13 C* genes," EMBO J. 8:4041-4047 (1989) |
| | | C13 | Capecchi, "Altering the genome by homologous recombination," <i>Science</i> 244:1288-1292 (1989) |
| | | C14 | Carlson, et al., " Acute Inflammatory Response in Spinal Cord Following Impact Injury," Exp. Neurol., 151:71-81 (1998) |
| | | C15 | Chang, et al., "A general method for facilitating heterodimeric pairing between two proteins: application to expression of * and * T-cell receptor extracellular segments," Proc.Natl.Acad.Sci. (USA), 91:11408-11412 (1994) |
| | | C16 | Chisaka, et al., "Developmental defects of the ear, cranial nerves and hindbrain resulting from targeted disruption of the mouse homeobox gene Hox-1.6," Nature 355:516-520 (1992) |
| | | C17 | Cobbold, et al., "Non-lineage, LFA-1 family, and leucocyte common antigens: new and previously defined clusters," <i>Leukocyte Typing III</i> , McMichael (ed), Oxford Press, p.788 (1987) |
| | | C18 | Collins, et al., "The HL-60 promyelocytic leukemia cell line: proliferation, differentiation, and cellular oncogene expression," Blood, 70:1233-1244 (1987) |
| | | C19 | Corbi, et al., "cDNA cloning and complete primary structure of the * subunit of a leukocyte adhesion glycoprotein, p150,95," EMBO J. 6:4023-4028 (1987) |
| | | C20 | Corbi, et al., "The human leukocyte adhesion glycoprotein Mac-1 (complement receptor type 3, CD116 * subunit," J. Biol. Chem. 263:12403-12411 (1988) |
| | T | C21 | Cromartie, et al., "Arthritis in rats after systemic injection of streptococcal cells or cell walls." J.Exp.Med. 146:1585-1602 (1977) |
| MAY | EC | C22 | Dana, et al., "Deficiency of a surface membrane glycoprotein (Mo1) in man," J. Clin. Invest. 73:153-159 (1984) |
| 1 5 | É | C23 | Danilenko, et al., "Canine leukocyte cell adhesion molecules (LeuCAMS): characterization of the CD11/CD18 family," Tissue Antigens 40:13-21 (1992) |
| 2002 | /EI | C24 | Deng, et al., "Location of crossovers during gene targeting with insertion and replacement vectors," Mol. Cell. Biol. 13:2134-2140 (1993) |
| | | C25 | Denholm and Wolber, "A simple method for the purification of human peripheral blood monocytes", <i>Immunol. Meth.</i> 144:247-251 (1991) |
| | | C26 | Diamond, et al., "The I domain is a major recognition site on the leukocyte integrin Mac-1 (CD11b/CD18) for four distinct adhesion ligands," J. Cell, Biol. 120:1031-1043 (1993) |

EXAMINER

PHILLIP GAMBIEL 2/10/02

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

TECH CENTER 1600/2900

Form PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No. 27866/37524

June 26, 2001

Serial No. 09/891,943

Applicant

Gallatin et al Filing Date

Group

1644

THON DISCLOSURE **INFORMA STATEMENT**

| | MG | C27 | Fleming, et al., "Structural Analysis of the CD11b gene and phylogenetic analysis of the *- integrin gene family demonstrate remarkable conservation of genomic organization and suggest early diversification during evolution," J.Immunol. 150:480-490 (1993) |
|-----------------|--------|------------------|---|
| | | C28 | Frohman, "RACE: Rapid amplification of cDNA ends" in <i>PCR Protocols: A Guide to Methods and Applications</i> , Innis, et al. (eds.) Academic press: New York (1990) pp. 28-38. |
| | | C29 | Gavilondo-Cowley, et al., "Specific Amplification of Rearranged Immunoglobulin Variable Region Genes from Mouse Hyrbidoma Cells," in Hybridoma, Vol. 9, No.: 5 1990, Mary Anne Leibert Inc., Publishers, Media, PA pp. 407-417 |
| | | C30 | Greve, et al., "The major human rhinovirus receptor is ICAM-1," Cell 56:839 (1989) |
| | | C31 | Hanenberg, et al., "Macrophage infiltration precedes and is a prerequisite for lymphocytic insulitis in pancreatic islets of prediabetic BB rats," <i>Diatetologia</i> 32:126-134 (1989) |
| | | C32 | Hansel, et al., "Purification of human blood eosinophils by negative selection using immunomagnetic beads," J. Immunol. Meth. 122:97-103 (1989) |
| | | C33 | Hansel, et al., "An improved immuomagnetic procedure for the isolation of highly purified human blood eosinophils," J. Immunol. Meth. 145:105 (1991) |
| | | C34 | Hart and Greenwald, "Scintillation proximity assay (SPA) - a new method of immunoassay," <i>Mol.Immunol.</i> 12:265-267 (1979) |
| | | C35 | Hart and Greenwald, "Scintillation proximity assay of antigen-antibody binding kinetics: concise communication," <i>J.Nuc.Med</i> 20:1062-1065 (1979) |
| | | C36 | Hildreth & Orentas, "Involvement of a leukocyte adhesion receptor (LFA-1) in HIV-induced syncytium formation," <i>Science 244</i> :1075-1078 (1989) |
| | | C37 | Huitinga, et al., "Treatment with anti-CR3 antibodies ED7 and ED8 suppresses experimental allergic encephalomyelitis in Lewis rats," Eur.J.Immunol 23:709-715 (1993) |
| | | C38 | Hynes, et al., "Integrins: Versatility, Modulation, and Signaling in Cell Adhesion, Cell 69:11-25 (1992) |
| # *** | | 下 ^{C39} | Ingalls and Golenbock, "CD11c/CD18, A transmembrane signaling receptor for lipopolysaccharide," <i>J.Exp.Med.</i> , 181 :1473-1479 (1995) |
| 8 | MAY 1 | C40 | Jutila, et al., "In vivo distribution and characterization of two novel mononuclear phagocyte differentiation antigens in mice," J.Leukocyte Biol. 54: 30-39 (1993) |
| ENTER 1600/2000 | 5 2002 | C41 | Karin and Richards, "Human metallothionein genes - primary structure of the metallothionein-II gene and a related processed protein," <i>Nature 299</i> :797-802 (1982) |
| 80 | | U | • |

EXAMINER

DATE CONSIDERED

1644

Form PTO-1449 (Modified) MAY 1 0 2002

U.S. Department of Commerce Patent and Trademark Office Attorney Docket No. | Serial No. | | 27866/37524 | O9/891,943 | | Applicant | Gallatin et al | | Group | Group

June 26, 2001

INFORMATION DISCLOSURE

| ~ | C42 | Kishimoto, et al., "Heterologous mutations of the * subunit common to the LFA-1, Mac-1 and p1150,95 glycoproteins cause leukocyte adhesion deficiency," Cell |
|--------|-----|---|
| 17 | | 50:193-202 (1987) |
| | C43 | Kishimoto, et al., "Cloning of the * subunit of the leukocyte adhesion proteins: homology to an extracellular matrix receptor defines a novel supergene family," Cell 48:681-690 (1987) |
| | C44 | Koo, et al., "Supressive Effects on Monocytic Cells and Transforming Growth Factor-*, on Natural Killer Cell Differentiation in Autoimmune Viable Motheaten Mutant Mice" J. Immunol. 147:1194-1200 (1992) |
| | C45 | Koo, et al., "Anti-CD11b Antibody Prevents Immunopathologic Changes in Viable Moth-Eaten Bone Marrow Chimeric Mice," J. Immunol., 151:6733-6741 (1993) |
| | C48 | Krassioukov, et al., "Morphological Changes in Sympathetic Preganglionic Neurons After Spinal Cord Injury in Rats," Neurosci., 70:211-226 (1996) |
| | C47 | Krassioukov, et al., "Episodic hypertension due to autonomic dysreflexia in acute and chronic spinal cord-injured rats," Am.J. Physiol., 268:H2077-H2083 (1995) |
| | C48 | Krenz and Weaver, "Sprouting of Primary Afferent Fibers After Spinal Cord Transection in the Rat," <i>Neurosci</i> , 85: 443-458 (1998) |
| | C49 | Kroegel, et al., " Cytokine control of eosinophils in pulmonary disease," J. Clin. Allergy Immunol. 93725 (1994) |
| | C50 | Kroegel, et al., "Segmental Lung Antigen Challenge of Allergic Subjects Induces the Local Activiation and Recruitment of Eosinophilic Leukocytes," Ann. Rev. Respir. Dis. 143:A45 (1991) |
| | C51 | Kroncke, et al., "Activated macrophages kill pancreatic syngeneic islet cells via arginine-dependent nitric oxide generation," BBRC 175:752-758 (1991) |
| | C52 | Landis, et al., "A novel LFA-1 activation epitope maps to the I domain," J. Cell. Biol. 120:1519-1527 (1993) |
| | C53 | Larson, et al., "Primary structure of the leukocyte function-associated molecule-1 * subunit: an integrin with an embedded domain defining a protein superfamily," J. Cell. Biol. 108:703-712 (1989) |
| M | C54 | Larson and Springer, "Structure and function of leukocyte integrins," <i>Immunol.Rev.</i> 114:181-217 (1990) |
| AY 1 | C55 | Lawrence, et al., "Purification and characterization of human skin mast cells," J.Immunol. 139:3062-2069 (1987) |
| 5 2002 | C56 | Letvin, et al., "Conservation of myeloid surface antigens on primary granulocytes," Blood 61:408-410 (1983) |
| | C57 | Luk, et al., "Biotinylated lipopolysaccharide binds to endotoxin receptor in endothelial and monocytic cells," Alan. Biochem. 232:217-224 (1995) |
| a | C58 | MacMicking, et al., "Altered responses to bacterial infection and endotoxic shock in mice lacking inducible nitric oxide synthase," Cell 81:641-650 (1995) |

EXAMINER PRILLE GAMBA 1400 DATE CONSIDERED

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Page 5 of 7 Form PTO-1449 (Modified) Attorney Docket No. Serial No. U.S. Department of Commerce Patent and Trademark Office 09/891,943 27866/37524 Applicant **DISCLOSURE** Gallatin et al Filing Date Group June 26, 2001 1644

| n | () | C59 | Marks, et al., " Human Antibodies from V-gene Libraries Displayed on Phage," J. Mol. Biol., 222:581-597 (1991) |
|------------------|----|-----|---|
| | \ | C60 | Matsumoto, et al., "Induction os Apoptosis in Human Eosinophils by Anti_Fas Antibody Treatment in Vitro," Blood, 86:1437 (1995) |
| | | C61 | McCabe, "Production of single-stranded DNA by asymmetric PCR," in <i>PCR Protocols: A Guide to Methods and Applications</i> , Innis et al. (ed) <i>Academic Press:</i> New York (1990) pp.76-83 |
| | | C62 | Means, et al., "Neuronophagia by Leukocytes in Experimental Spinal Cord Injury," J. Neurophathol. & Exp. Neurol. 42:707-719 (1983) |
| | | C63 | Merrill, et al., "Microglial cell cytotoxicity of oligodendrocytes is mediated through nitric oxide," <i>Immunol.</i> 151:2132 (1993) |
| | | C64 | Metlay, et al., "The distinct leukocyte integrins of mouse spleen dendritic cells as identified with new hamster monoclonal antibodies," J. Exp. Med. 171:1753-1771 (1990) |
| | | C65 | Michishita, et al., "A novel divalent cation-binding site in the A domain of the *2 integrin CR3 (CD11b/CD18) is essential for ligand binding," Cell 72:857-867 (1993) |
| | | C66 | Moore, et al., "Canine leukocyte integrins: characterization of a CD18 homologue," Tissue Antigens 36:211-220 (1990) |
| | | C67 | Mulligan, et al., "Tissue injury caused by deposition of immune complexes is L-arginine dependent," Proc. Natl. Acad. Sci. (USA) 88:6338-6342 (1991) |
| | | C68 | Nourshargh, et al., "Accumulation of ¹¹¹ In-neutrophils in rabbit skin in allergic and non-allergic inflammatory reactions in vivo," <i>J.Immunol.</i> 142:3193-3198 (1989) |
| | | C69 | Parsons, et al., "Directing phage selections towards specific epitopes," Protein Engineering, 9:1043-1049 (1996) |
| | | C70 | Patarroyo, et al., "Leukocyte-cell adhesion: a molecular process fundamental in leukocyte physiology," <i>Immunol.Rev.</i> 114:67-108 (1990) |
| TECH CEI MA | 卫 | C71 | Price, et al., "In vivo inhibition of neutrophil function in the rabbit using monoclonal antibody to CD18," J. Immunol. 139:4174-4177 (1987) |
| MAY | | C72 | Rabb, et al., "Alterations in Soluble and Leukocyte Surface L-Selectin (CD62L) in Hemodialysis Patients 1.2", J. Am. Soc. Nephrol. 6:1445-1450 (1995) |
| 1 5 20 1 5 20 | | C73 | Rabb, et al., "Cell Adhesion Molecules and the Kidney", Am.J. Kidnet. Dis. 23:155-166 (1994) |
| Y 1 5 2002 | U | C74 | Randi and Hogg, "I domain of *2 integrin lymphocyte function-associated antigen- contains a binding site for ligand intercellular adhesion molecule-1," <i>J. Biol. Chem.</i> 269:12395-12398 (1994) |
| M | | C75 | Reynolds, et al., "Nature Killer Activity in the Rat", J. Immunol. 132:534-540 (1984) |

Form PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No. Serial No. 09/891,943 27866/37524 Applicant Gallatin et al

INFORMAT **TON DISCLOSURE STATEMENT**

| Filing Date | Group | |
|---------------|-------|------|
| June 26, 2001 | | 1644 |

| r | | logic | |
|--------|-----|-------|--|
| 0/ | 1 | C76 | Rojiani et al., "In vitro interaction of a polypeptide homologous to human Ro/SS-A |
| IN | 9 | | antigen (calreticulin) with a highly conserved amino acid sequence in the |
| | + | | cytoplasmic domain of integrin * subunits," Biochemistry 30:9859-9866 (1991) |
| | | C77 | Rosenfeld, et al., "Fatty streak initiation in Watanabe heritable hyperlipemic and comparably hypercholesterolemic fat-fed rabbits" <i>Arteriosclerosis</i> 7:9-23 (1987) |
| | | C78 | Rosenfeld, et al., "Fatty streak expansion and maturation in Watanabe heritable hyperlipemic and comparably hypercholesterolemic fat-fed rabbits" <i>Arteriosclerosis</i> 7:24-34 (1987) |
| | | C79 | Sadhu, et al., "LFA-1 Binding site in ICAM-3 contains a conserved motif and non-contiguous amino acids" Cell Adhesion and Communication, 2:429-440 (1994) |
| | | C80 | Sambrook, et al., (eds), "Immobilization of Bacteriophage * plaques on nitrocellulose filters or nylon membranes" in Molecular Cloning: a laboratory manual, Cold Spring Harbor Press:Cold Spring Harbor, NY (1989) p. 2.110 |
| | | C81 | Sanchez-Madrid, et al., "A human leukocyte differentiation antigen family with distinct *- subunits and a common *- subunit," J. Exp. Med. 154:1517 (1981) |
| | | C82 | Schall, "Biology of the rantes/sis cytokine family" Cytokine, 3:165-183 (1991) |
| | | C83 | Schneiderman, et al., "Expression of 12 rabbit IgA C* genes as chimeric rabbit-mouse IgA antibodies," <i>Proc.Natl.Acad.Sci.</i> (USA) 86:7562-7565 (1989) |
| | | C84 | Schwab, et al., "Pro- and anti-inflammatory roles of interleukin-1 in recurrence of bacterial cell wall-induced arthritis in rats," <i>Infection and Immunity</i> 59:4436-4442 (1991) |
| | | C85 | Searle, et al., "Regulation, linkage, and sequence of mouse metallothionein I and II genes," Mol. Cell. Biol. 4:1221-1230 (1984) |
| | | C86 | Sedgewick, et al., "Comparison of Airway and Blood Eosinophil Function After in Vivo Antigen Challenge," J. Immunol. 149:3710 (1992) |
| | | C87 | Shanley, et al., "Requirements for *d in IgG Immune Complex-Induced Rat Lung Injury," J. Immunol., 160:1014 (1998) |
| | | C88 | Shaw, et al., "Molecular cloning of the human mucosal lymphocyte integrin *E subunit," J. Biol. Chem. 269:6016-6025 (1994) |
| ×. | REC | C89 | Smith, et al., "Cooperative interactions of LFA-1 and Mac-1 with intercellular adhesion molecule-1 in facilitating adherence and transendothelial migration of human neutrophils in vitro," J. Clin. Invest. 83:2008-2017 (1989) |
| 7 | | C90 | Springer, "Adhesion molecules of the immune system," <i>Nature 346</i> :425-434 (1990) |
| 1 5 21 | V | C91 | Stromberg, "Large Granular Lymphocyte Leukemia in F344 Rats", Am. J. Pathol. 119:517-519 (1985) |
| 202/ | 0 | C92 | Tamura, et al., "Epithelial integrin*6*4: complete primary structure of *6 and variant forms of *4," J. Cell. Biol. 111:1593-1604 (1990) |

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

TECH CENTER 1600/2900

1644



U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No. Serial No. 27866/37524 09/891,943 Applicant Gallatin et al Filing Date Group

June 26, 2001

INFORM **IONDISCLOSURE**

| | a 1 | C93 | Todd, et al., " Subcellular Localization of the Large Subunit of Mo1 (Mo1*, |
|---------|------|-----------|---|
| M | ا وا | | formerly gp 110), a Surface Glycoprotein Associated with Neutrophil Adhesion" |
| <u></u> | | | J. Clin. Invest., 74:1280 (1984) |
| | | C94 —— | Ueda, et al., "Identification of the complement iC3b binding site in the *2 integrin CR3 (CD11b/CD18)," Proc.Natl.Acad.Sci. (USA) 91:10680-10684 (1994) |
| | | C95 | Van der Vieren, et al., "A Novel Leukointegrin *d* 2 Binds Preferentially to ICAM-3," <i>Immunity</i> 3:683 (1984) |
| | | C96 | Varshney, et al., "Structure, organization, and regulation of human metallothionein |
| | | | IF gene: differential and cell-type-specific expression in response to heavy metals and glucocorticoids," <i>Mol. Cell. Biol.</i> 6:26-36 (1986) |
| | (| C97 | Vaughn, et al., "Human Antibodies with Sub-nanomolar Affinities Isolated from a Large Non-immunized Phage Display Library," Nature Biotechnol. 14:309-314 (1996) |
| | (| C99 | Ward and Reynolds, "A Heterogeneous Lymphocytic Leukemia in F344 Rats", Am.J. Pathol. 110:1-10 (1982) |
| | (| C99 | Warner, et al., "A rapid Percoll technique for the purification of human basophils," J. Immunol. Meth. 106:107-110 (1987) |
| | | C100 | Waterhouse, et al., "Combinatorial infection and in vivo recombination: a strategy for making large phage antibody repertoires," Nucl. Acids Res. 21:2265-2266 (1993) |
| | (| C101 | Wright, "Multiple receptors for endotoxin," Curr. Opin. Immunol. 3:83-90 (1991) |
| | (| C102 | Yamada, et al., "Mucosal injury and inflammation in a model of chronic granulomatous colitis in rats," Gastroenterology 104:759-771 (1993) |
| | | C103 | Zhout, et al., "Differential ligand binding specificities of recombinant CD11b/CD8 integrin I-domain" J.Biol.Chem. 269: 17076-17079 (1994) |
| | C | C104 | Krassioukov, et al., "Episodic hypertension due to autonomic dysreflexia in acute and chronic spinal cord-injured rats," Am. J. Physiol. 268:H2077-2083 (1995) |
| 0 | | C105 | Maiorov, et al., "Relationship Between Severity of Spinal Cord Injury and |
| | | | Abnormalities in Neurogenic Cardiovascular Control in Conscious Rats," J. of Neurotrauma 15(5):365-374 (1998) |

RECEIVED

MAY 1 5 2002

TECH CENTER 1600/2900

EXAMINER